



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	tact information * Lenovo Global Environmental Affairs					
e-mail address	Mvin L Carter		Lenovo.			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Edge Computer			
Commercial name *	ThinkEdge SE50			
Model number *	11RH,11RJ,11RK,11RL			
Issue date *	2021.3.25			
Intended market *	☐ Global ☐ ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information	N/A			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number * 11RH,11RJ,11RK,11RL		11RH,11RJ,11RK,11RL	Logo	Long	21/6	
Issue date	date * 2021.3.25			Len		J _{th}
Product	Product environmental attributes - Legal requirements					
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.		-		
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in	the 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (il reference). it: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/we	eek 🔀		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		uct is CE-marked to show conformance with applicable legal requirements (see legaration of Conformity can be requested at: https://www.lenovo.com/us/en/comp				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).					
	Required information is;					
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ont chromium by weight of these together.	, ,			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
De	Comment: Legal reference has no maximum concentration values. Treatment information					
P6 P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		11RH,11RJ,11RK,11RL Logo	Lon	01/0				
Issue date *		2021.3.25	Len		тн			
Product environmental attributes - Market requirements (See General NOTE GN below)								
	- Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.							
P7 P7.1*	Design, Disassembly, recycling 1* Parts that have to be treated separately are easily separable							
P7.2*		<u> </u>	<u> </u> _	<u>Ц</u>				
P7.3*								
	P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.							
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
		lifetime						
P7.7*		ng can be done e.g. with processor, memory, cards or drives						
P7.8*	Upgradir	ng can be done using commonly available tools						
P7.9	Spare pa	arts are available after end of production for: 5 years						
P7.10	Service i	s available after end of production for: 5 years						
		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):						
P7.12		type: aluminum Material type: SGCC Material type: n materials of external electrical cables are PVC free.						
P7.12		n materials of external electrical cables are PVC free.			_			
P7.14	P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15								
P7.16		etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):							
	TBBF 26265-0	PA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated epoxy resin , CAS #: 8-7		Ш				
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:						
P7.18	<u>Alt. 1:</u> Fl	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i	n					
		rations above 0,1%:						
		ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "						
		ical name: , CAS #: "						
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:						
P7.19		c parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	- 	- - -				
7.19	•	If the following Risk phrases; and Hazard statements:	Ш	Ш				
	Ū							
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) 20* Postconsumer recycled plastic material content is used in the product (See Note B6):							
1.20	If YES; a a) Of t a po	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is %.						
		· · · · · · · · · · · · · · · · · · ·						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	11RH,11RJ,11RK,11RL	Logo	Len	01/6	
Issue date *	2021.3.25		Len		J _{TH}
Product environr	mental attributes - Market requirements (continued)		Requi	remer	nt met
Item			Yes	No	n.a.

	Material and sub	stance requirements	(continued)				
P7.21*	Material and substance requirements (continued) Biobased plastic material content is used in the product (See NOTE B7):						
17.21	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g.						
P7.22*		free from mercury, i.e.				\square	
		specify: Number of lan		m mercury content pe	er lamp: mg		
P8	Batteries						
P8.1*	Battery chemical	composition: Lithium M	langanese Dioxide				
P9	Energy consump	otion (See NOTE B8)					
P9.1	For the product th	e following power levels	s or energy consumption	ns are reported:			
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
EPS No-loa	ad	W	W	W			
	supply / charger plugged in the connected from the product.)						
PTEC *	oomiootod mom the product,	W	W	W			
	ergy Consumption						
ETEC * Annual Energy Consumption		kWh/year	kWh/year	kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45 + P_{sleep} \times 0.05 + P_{long_ldle} \times 0.15 + P_{short ldle} \times 0.35)$		
					Enabled; Pidle: Idle State - WOL Enabled		
External Po	ower Supply Efficie	ncy Level (International	Efficiency Marking Prot	ocol) * :		\boxtimes	
Display res	solution * : m	negapixels				\boxtimes	
Default tim	e to enter energy s	ave mode: minut	tes				
P9.2*	Information about	the energy save function	on is provided with the p	roduct.			
P9.3	Energy efficiency	class (monitors only): A	VA.			X	
P10	Emissions						
	Noise emission -	 Declared according to 	ISO 9296 (See NOTE I	39)			
P10.1	Mode	Mode description		Statistical upper limit A-weighted sound power level, L _{WA,c} (B)			
	Idle	* HDD:Idle		* 1.5			
	Operation	* HDD: Operating		* 1.5			
	Other mode $egin{aligned} extbf{ extit{Declared A-weighted sound pressure level (dB)} L_{p extbf{ extit{Am}}} \end{aligned}$		9 (operator position desktop – idle)				
	Other mode ${m Declared A-weighted sound pressure level (dB)} L_{p{ m Am}}$		d pressure level (dB) $L_{p m Am}$	9 (operator position	n desktop – operating)		
	Measured accord	ing to: 🔀 ISO 7779 🗌	ECMA-74				
		Other	(only if not covered by E	ECMA-74)			

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		11RH,11RJ,11RK	,11RL			Logo	Long	1/0	
Issue date *		2021.3.25					Leno	VO.	н ⁾
Product	environn	nental attributes	- Market requirem	nents (continu	ied)		Require	ment	met
Item				-			Yes	No	n.a.
		magnetic emission							
P10.4	program	(s):	· 	frequency electro	omagnetic fields of the fo	llowing voluntar	у 🗌		
P12		mics for computing							
P12.1*					for visual display technol	ogies.			\boxtimes
P12.2*	The phys	sical input device m	eets the requirements	s of ISO 9995 an	nd ISO 9241-410.			\boxtimes	
P13		ng and documenta							
P13.1*	Product	packaging material packaging material packaging material		weight (kg): 0. weight (kg): 0. weight (kg): 0.	0114				
P13.2*	Product	plastic primary pack	aging is free from PV	/C.			\boxtimes		
P13.3*		duct primary corruger recovered fiber co		caging, specify t	he contained percentage	e of minimum p	post-		
P13.4*									
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:								
	Totally chlorine-free Elemental chlorine-free								
	Processe	ed chlorine-free							
P14		ry programs							
P14.1	The prod	duct meets the requ	irements of the followi	ing voluntary pro	ogram(s):				
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Dat Dat Dat	te: Product	category: category: category:			
P15		nal information (Se							
P9	Energy	consumption of sp	ecific configuration	n may vary; des	cription of the tested p	roduct configu	ration: NA		
D0	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. ThinkEdge SE50 is powered by 10-40 VDC. This product is out of scope of ErP and Energy Star								
P9	ThinkEd	ge SE50 is powered	1 by 10-40 VDC. This	s product is out o	of scope of ErP and Energ	gy Star			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1